

# Aceclofenac, Paracetamol, and Chlorzoxazone

# Acekle-MR

## PRODUCT INFORMATION LEAFLET

Brand Name: [Acekle-MR]

Generic Name: Aceclofenac, Paracetamol, and Chlorzoxazone Tablets

Strength: Aceclofenac 100 mg + Paracetamol 325 mg + Chlorzoxazone 250 mg

Dosage Form: Film-Coated Tablets

\_\_\_\_

#### COMPOSITION

Each film-coated tablet contains:

Aceclofenac IP ... 100 mg

Paracetamol IP ... 325 mg

Chlorzoxazone IP ... 250 mg

Excipients: q.s.

\_\_\_\_

#### **DESCRIPTION**

This is a triple combination tablet containing:

- Aceclofenac, a non-steroidal anti-inflammatory drug (NSAID) that reduces pain and inflammation.
  - Paracetamol, an analgesic and antipyretic that enhances pain relief.
- Chlorzoxazone, a centrally acting muscle relaxant that relieves muscle stiffness and spasms.

The combination is commonly used to provide relief from musculoskeletal pain and inflammation.



## **INDICATIONS**

Used in the treatment of:

- Musculoskeletal pain
- Low back pain
- Sprains and strains
- Cervical and lumbar spondylosis
- Rheumatoid arthritis
- Osteoarthritis
- Muscle spasms associated with orthopedic or post-surgical conditions

\_\_\_\_

#### DOSAGE AND ADMINISTRATION

Adults: One tablet twice daily or as directed by the physician. Take with food to reduce the risk of gastrointestinal discomfort. Do not exceed the prescribed dose.

\_\_\_\_

#### **CONTRAINDICATIONS**

- Hypersensitivity to NSAIDs, paracetamol, or chlorzoxazone
- History of gastrointestinal bleeding or ulcers
- Severe hepatic or renal impairment
- Pregnancy and lactation (unless directed by a physician)

## **PRECAUTIONS**

- Use with caution in patients with liver or kidney dysfunction
- Avoid alcohol consumption while taking this medicine
- Long-term use may lead to liver damage due to paracetamol
- Monitor for gastrointestinal symptoms in patients on prolonged therapy

\_\_\_\_

#### SIDE EFFECTS

## Common:

- Gastric irritation
- Drowsiness
- Nausea
- Headache



#### Rare:

- Liver enzyme abnormalities
- Allergic reactions (rash, itching)
- Gastrointestinal bleeding
- Dizziness or blurred vision

\_\_\_\_

## STORAGE INSTRUCTIONS

Store below 25°C in a dry place. Protect from light and moisture. Keep out of reach of children.

\_\_\_\_

## **PRESENTATION**

Box of 10x10 tablets in Alu-Alu pack.

\_\_\_\_

## **SCHEDULE**

Schedule H Prescription Drug – Not to be sold without the prescription of a registered medical practitioner.

Made in India for:



H.no:1-2, GaneshNagarColony, Kuntloor, Hayathnagar

R.R.Dist, Telangana, 501505.