



Diclofenac Diethylamine, Methyl Salicylate, Menthol & Linseed Oil Gel

K roll-on

PRODUCT INFORMATION LEAFLET

Brand Name: [**K roll-on**]

Dosage Form: Topical Gel (Roll-On Applicator)

Description: Analgesic and anti-inflammatory gel for external use only

COMPOSITION

Each gram of gel contains:

- Diclofenac Diethylamine IP ... 1.16% w/w
 - Diclofenac Sodium IP ... 1.0% w/w
 - Linseed Oil ... 3.0% w/w
 - Menthol ... 5.0% w/w
 - Methyl Salicylate ... 10.0% w/w
 - Benzyl Alcohol ... 1.0% w/w
 - Gel base: q.s.
-

DESCRIPTION

This topical formulation combines the anti-inflammatory effects of diclofenac (both diethylamine and sodium salts) with natural counterirritants like menthol, methyl salicylate, and linseed oil. The roll-on applicator enables mess-free, targeted relief from musculoskeletal pain, while benzyl alcohol acts as a mild local anesthetic and preservative.

INDICATIONS

Used for relief from:

- Muscular pain and sprains



- Joint pain and stiffness
 - Backache
 - Sports injuries
 - Tendonitis
 - Osteoarthritis-related discomfort
 - Frozen shoulder and cervical pain
-

DIRECTIONS FOR USE

- Apply a thin layer of the gel to the affected area 3–4 times daily using the roll-on applicator.
 - Gently massage if required.
 - Do not apply on broken or irritated skin.
 - Avoid contact with eyes and mucous membranes.
 - Wash hands thoroughly after application unless the hands are the treated area.
-

CONTRAINDICATIONS

- Hypersensitivity to NSAIDs or any component of the formulation
 - Do not use in children under 12 years
 - Avoid in patients with known allergic reactions to salicylates or menthol
 - Not recommended for use during pregnancy or lactation without physician advice
-

PRECAUTIONS

- For external use only
 - Do not apply on open wounds, cuts, or infected skin
 - Discontinue use if skin irritation, rash, or excessive burning occurs
 - Avoid exposure to sunlight or UV light on treated area
 - Not to be used under occlusive dressings or bandages
-

SIDE EFFECTS

Common:

- Mild irritation or redness at the site of application
- Cooling or burning sensation (temporary)

Rare:

- Allergic rash



- Peeling or blistering of skin
- Photosensitivity reactions

STORAGE INSTRUCTIONS

Store in a cool, dry place below 25°C.
Protect from direct sunlight and heat.
Keep the container tightly closed.
Keep out of reach of children.

PRESENTATION

Available in a Roll-On Pack (e.g., 30 ml / 50 ml) for convenient and hygienic application.

SCHEDULE

OTC (Over-the-Counter) – For external use only.
However, in some countries, classification may vary—check local regulatory guidelines.

Made in India for:



H.no:1-2, GaneshNagarColony, Kuntloor, Hayathnagar
R.R.Dist, Telangana, 501505.