



Cefpodoxime Proxetil Oral Suspension

KLEFIPOD-DS

Product Overview

Product Name: **KLEFIPOD-DS**

Active Ingredient:

- Cefpodoxime Proxetil IP equivalent to Cefpodoxime: 100 mg (per 5 mL after reconstitution)

Formulation: Dry Syrup (To be reconstituted before use)

Pack Size: 30 mL Bottle

Brand Line: (klefipod-ds)

Mechanism of Action

Cefpodoxime is a third-generation cephalosporin antibiotic. It works by inhibiting bacterial cell wall synthesis, leading to cell lysis and death. It has a broad spectrum of activity against both gram-positive and gram-negative bacteria.

Key Benefits:

- High efficacy in respiratory and urinary tract infections
- Stable in the presence of beta-lactamases

Indications

Cefpodoxime Dry Syrup is indicated for the treatment of infections caused by susceptible organisms in the following conditions:

- Upper Respiratory Tract Infections (e.g., pharyngitis, tonsillitis)
- Lower Respiratory Tract Infections (e.g., pneumonia, bronchitis)
- Urinary Tract Infections



- Skin and Soft Tissue Infections
- Otitis Media

Dosage & Administration

Dosage (Pediatric):

- 10 mg/kg/day in two divided doses for most infections.
- In severe infections, up to 20 mg/kg/day may be used as directed by physician.

Reconstitution Instructions:

1. Tap the bottle to loosen powder.
2. Add cooled boiled water up to the mark on the label.
3. Shake well to make a uniform suspension.
4. Shake well before each use.

Shelf Life after Reconstitution: 7 days in refrigeration (2-8°C)

Storage & Safety

Storage:

- Store in a cool, dry place prior to reconstitution.
- After reconstitution, keep refrigerated and discard after 7 days.

Precautions:

- Use with caution in patients with renal impairment.
- Avoid use in known hypersensitivity to cephalosporins.

Side Effects May Include:

- Diarrhea
- Abdominal pain
- Rash
- Nausea



Made in India for:



H.no:1-2, GaneshNagarColony, Kuntloor, Hayathnagar
R.R.Dist, Telangana, 501505.