



# Pantoprazole and Domperidone

## **pantappi-DSR**

### **PRODUCT INFORMATION LEAFLET**

Brand Name: **pantappi-dsr**

Generic Name: Pantoprazole and Domperidone capsules

Strength: Pantoprazole 40 mg (EC) + Domperidone 30 mg (SR)

Dosage Form: Capsules

---

### **COMPOSITION**

Each hard gelatin capsule contains:

- Pantoprazole Sodium Sesquihydrate IP equivalent to Pantoprazole ... 40 mg (Enteric Coated)
- Domperidone Maleate IP equivalent to Domperidone ... 30 mg (Sustained Release)

Excipients: q.s.

---

### **DESCRIPTION**

Pantoprazole is a proton pump inhibitor (PPI) that reduces the amount of acid produced in the stomach.

Domperidone is a dopamine antagonist that enhances gastrointestinal motility and prevents nausea and vomiting.

The combination provides effective relief in acid reflux, GERD, and associated gastrointestinal discomfort.

---

### **INDICATIONS**

Used in the treatment of:

- Gastroesophageal reflux disease (GERD)



- Acid reflux and heartburn
  - Non-ulcer dyspepsia
  - Functional dyspepsia
  - Nausea and vomiting associated with acid peptic disorders
  - Gastric and duodenal ulcers
- 

## **DOSAGE AND ADMINISTRATION**

Adults: One capsule once daily, preferably before meals, or as directed by the physician.

Do not chew or crush.

Administer consistently at the same time each day for optimal results.

---

## **CONTRAINDICATIONS**

- Hypersensitivity to pantoprazole, domperidone, or any excipients
  - Patients with prolactin-releasing pituitary tumor (prolactinoma)
  - In patients with gastrointestinal hemorrhage, mechanical obstruction, or perforation
  - In patients with moderate to severe hepatic impairment or prolonged QT interval
- 

## **PRECAUTIONS**

- Use with caution in patients with liver or kidney dysfunction
  - Long-term use of PPIs may be associated with vitamin B12 deficiency and osteoporosis
  - Avoid use of domperidone with other QT-prolonging medications
  - Monitor electrolytes and ECG in at-risk patients
- 

## **SIDE EFFECTS**

Common:

- Headache
- Dizziness
- Diarrhea or constipation
- Dry mouth
- Flatulence

Rare:



- QT prolongation (with domperidone)
- Allergic reactions like rash or itching
- Elevated liver enzymes
- Gynecomastia or galactorrhea (long-term use)

---

## STORAGE INSTRUCTIONS

Store below 25°C in a dry place.  
Protect from light and moisture.  
Keep out of reach of children.

---

## PRESENTATION

Box of 10x10 capsules in Alu-Alu pack.

---

## SCHEDULE

Schedule H Prescription Drug – Not to be sold without the prescription of a registered medical practitioner.

Made in India for:



H.no:1-2, GaneshNagarColony, Kuntloor, Hayathnagar  
R.R.Dist, Telangana, 501505.